

Pressmasstabelle für MC2000
Table de sertissage pour MC2000

 Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GC/GE/GF/GX/GS

 Satz Nr.
 Jeu nr.







 10 D21/D22/D33
 D34/D35/D37
 D39/310/D45







 Schlauch
 Tuyau

Dimension


MegaSys -Kompakt Hochdruckschläuche stahlarmiert / Tuyau haute pression compact avec tresse acier

Schlauch Tuyau	Dimension									
1SC	1/4" - DN6	04M3K /-MTF	225bar-11l/min	04G..	17.55	<->	18.05	D21	170	
				04GA..	15.30	<->	15.50	10	395	
>1SC		04M4K	280bar-11l/min	04G..	17.90	<->	18.40	D21	200	
				04GA..	16.90	<->	17.10	D21	111	
2SC		04M5K /-MTF	350bar-11l/min	04G..	17.90	<->	18.40	D21	200	
				04GA..	16.90	<->	17.10	D21	111	
>2SC		04M6K	420bar-11l/min	04G..	18.55	<->	19.05	D21	223	
				04GE..	16.90	<->	17.10	D21	111	
				04GI..	17.50	<->	17.70	D21	105	
			04GX..	17.30	<->	17.50	D21	133		
1SC	5/16" - DN8	05M3K /-MTF	225bar-18l/min	05G..	19.80	<->	20.30	D22	110	
				05GA..	18.60	<->	18.80	D21	204	
>1SC		05M4K /-MTF	280bar-18l/min	05G..	19.95	<->	20.45	D22	125	
				05GA..	18.20	<->	18.40	D21	182	
2SC		05M5K /-MTF	350bar-18l/min	05G..	19.95	<->	20.45	D22	125	
				05GA..	18.60	<->	18.80	D21	204	
			05GX..	17.70	<->	17.90	D21	155		
>1SC		3/8" - DN10	06M3K /-MTF	225bar-27l/min	06G..	20.30	<->	20.80	D22	150
					06GA..	20.30	<->	20.50	D22	133
R2-AT/C			06M4K	280bar-27l/min	06G..	21.60	<->	22.10	D22	265
	06GA..				20.40	<->	20.60	D22	138	
>2SC	06M5K /-MTF		350bar-27l/min	06G..	21.55	<->	22.05	D22	230	
				06GA..	20.50	<->	20.70	D22	155	
				06GX..	21.70	<->	21.90	D22	209	
			06IA5600	385bar-27l/min	06G..	21.60	<->	22.10	D22	233
>1SC	1/2" - DN12		08M3K /-MTF	225bar-46l/min	08G..	25.15	<->	25.65	D33	160
					08GA..	24.40	<->	24.60	D33	122
>2SC		08M4K /-MTF	280bar-46l/min	08G..	25.80	<->	26.30	D33	238	
				08GA..	24.70	<->	24.90	D33	138	
				08GX..	24.90	<->	25.10	D33	149	
>2SC		08M5K /-MTF	350bar-46l/min	08G..	26.15	<->	26.65	D33	225	
				08GA..	26.00	<->	26.20	D33	209	
1SN		5/8" - DN16	10G1	130bar-55l/min	10G..	28.55	<->	29.05	D34	145
					10GA..	27.90	<->	28.10	D33	313
>1SC			10M3K /-MTF	225bar-70l/min	10G..	29.45	<->	29.95	D34	210
	10GA..				29.80	<->	30.00	D34	193	
>2SC	10M4K /-MTF		280bar-70l/min	10G..	29.10	<->	29.60	D34	163	
				10GA..	30.10	<->	30.30	D34	209	
			10GX..	28.60	<->	28.80	D34	127		
1SN	3/4" - DN20		12G1	105bar-80l/min	12G..	34.05	<->	34.55	D35	200
					12GA..	35.15	<->	35.65	D35	274
2SC			12M3K /-MTF	225bar-100l/min	12G..	34.00	<->	34.20	D35	187
		12GA..			35.20	<->	35.70	D35	260	
>2SC		12M4K /-MTF	280bar-100l/min	12GA..	34.10	<->	34.30	D35	193	
				12GX..	32.60	<->	32.80	D35	111	
1SN	1" - DN25	16G1	88bar-150l/min	16G..	44.45	<->	44.95	D37	265	
				16GA..	45.45	<->	45.95	D37	310	
>2SC		16M3K /-MTF	225bar-160l/min	16GA..	41.30	<->	41.50	D35	585	
				16GX..	42.00	<->	42.20	D35	624	
1SN		1-1/4" - DN32	20G1	64bar-250l/min	20G..	51.85	<->	52.35	D39	130
					20GA..	49.30	<->	49.50	D37	471
2SN	20G2		125bar-260l/min	20G..	53.75	<->	54.25	D39	260	
				20GA..	49.70	<->	49.90	D37	493	

Pressmasstabelle für MC2000 Table de sertissage pour MC2000				Pressarmatur Typ: Raccord à sertir type: G/GA/GC/GE/GF/GX/GS			Satz Nr. Jeu nr.		10 D21/D22/D33 D34/D35/D37 D39/310/D45	
Schlauch Tuyau	Dimension									
Megaspiral - Hochdruckschläuche / Tuyau haute pression - DIN 4SP/SH - SAE100 R12/13/15										
R15	3/8" - DN10	06EFG6K /-MTF	420bar-27l/min	06GS1F	24.65	<->	25.15	D33	100	
R12	1/2" - DN12	08EFG4K	280bar-46l/min	08GS1F	27.20	<->	27.70	D33	275	
R13		08EFG5K	350bar-46l/min							
4SP/R15		08EFG6K /-MTF	420bar-46l/min							
R12	5/8" - DN16	10EFG4K	280bar-70l/min	10GS1F	33.30	<->	33.80	D35	125	
4SP/R13		10EFG5K	350bar-70l/min							
R15		10EFG6K /-MTF	420bar-70l/min							
R12	3/4" - DN20	12EFG4K	280bar-100l/min	12GS1F	37.35	<->	37.85	D35	405	
4SP/R13		12EFG5K	350bar-100l/min							
4SH/R15		12EFG6K /-MTF	420bar-100l/min							
4SP/R12	1" - DN25	16EFG4K	280bar-180l/min	16GS1F	44.20	<->	44.70	D37	220	
R13		16EFG5K	350bar-180l/min							
>4SH/R15		16EFG6K /-MTF	420bar-180l/min							
4SP/R12	1-1/4" - DN32	20EFG3K	210bar-290l/min	20GS1F-4	52.05	<->	52.55	D39	150	
4SH/R13		20EFG4K	280bar-290l/min	20GS1F-4	51.80	<->	52.30	D39	130	
4SH/R13		20EFG5K	350bar-290l/min	20GS1F-6	56.40	<->	56.90	310	160	
R15		20EFG6K /-MTF	420bar-290l/min							
Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau										
Wasser	1/4" - DN6	04HW1	250bar-11l/min	04G..	17.70	<->	17.90	D21	155	
				04GA..	16.10	<->	16.30	10	438	
eau	5/16" - DN8	05HW2	400bar-18l/min	05G..	20.50	<->	20.70	D22	144	
				05GA..	18.70	<->	18.90			
	3/8" - DN10	06HW2	400bar-27l/min	06G..	21.70	<->	21.90	D22	209	
				06GA..	20.10	<->	20.30			
	1/2" - DN12	08HW1	250bar-46l/min	08G..	25.40	<->	25.60	D22	411	
				08GA..	23.70	<->	23.90			
HW "easyfarm 365+"	5/16" - DN8	05HW-EF365	250bar-18l/min	05GF..	18.30	<->	18.50			
	3/8" - DN10	06HW-EF365	275bar-27l/min	06GF..	19.90	<->	20.10			
	1/2" - DN12	08HW-EF365	180bar-46l/min	08GA..	22.90	<->	23.10			
GATES Multi Master Mega Flex Ansaug-, Rücklauf- und Mehrzweckschläuche / Tuyau d'aspiration, retour et usage multiple										
R4	5/8" - DN16	IVG 2000-10 12MULTIM 16MULTIM 20MULTIM	18bar-16l/min	10G..	31.80	<->	32.30	D34	310	
R4H	3/4" - DN20		24bar-22l/min	12G..	36.90	<->	37.40	D35	354	
	1" - DN25		21bar-40l/min	16G..	43.75	<->	44.25	D37	176	
	1-1/4" - DN32		17bar-62l/min	20G..	50.75	<->	51.25	D37	558	
Megaflex Kompakt - M2T-MTF-Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier										
>2SC(SN)	1/4" - DN6	04M2T /-MTF	420bar-11l/min	04G..	17.90	<->	18.40	D21	174	
2SC(SN)	5/16" - DN8	05M2T /-MTF	380bar-18l/min	05G..	19.95	<->	20.45	D22	122	
>2SC(SN)	3/8" - DN10	06M2T /-MTF	350bar-27l/min	06G..	21.60	<->	22.10	D22	212	
>2SC(SN)	1/2" - DN12	08M2T /-MTF	300bar-46l/min	08G..	26.05	<->	26.55	D33	220	
>2SC(SN)	5/8" - DN16	10M2T /-MTF	260bar-70l/min	10G..	28.35	<->	28.85	D34	122	
2SC(SN)	3/4" - DN20	12M2T /-MTF	240bar-100l/min	12G..	34.55	<->	35.05	D35	225	
>2SC(SN)	1" - DN25	16M2T /-MTF	170bar-160l/min	16G..	43.20	<->	43.70	D37	146	
Megaflex Kompakt - Zwilling-Hochdruckschläuche 2-lagig stahl / Tuyau haute pression jumelée 2-tresse en acier										
>2SC(SN)	3/8" - DN10	06CM2TDL-XTF	330bar-27l/min	06G..	21.70	<->	22.00	D22	265	
	1/2" - DN12	08CM2TDL-XTF	275bar-46l/min	08G..	26.15	<->	26.45	D33	220	
Megaflex LIGTH2 - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresses en acier										
>2SC(SN)	1/4" - DN6	04MXT	420bar-11l/min	04G..	17.90	<->	18.40	D21	174	
2SC(SN)	5/16" - DN8	05MXT	390bar-18l/min	05G..	19.95	<->	20.45	D22	122	
>2SC(SN)	3/8" - DN10	06MXT	340bar-27l/min	06G..	20.95	<->	21.45	D22	176	
>2SC(SN)	1/2" - DN12	08MXT	280bar-46l/min	08G..	24.90	<->	25.40	D33	157	
>2SC(SN)	5/8" - DN16	10MXT	260bar-70l/min	10G..	28.55	<->	29.05	D34	133	
2SC(SN)	3/4" - DN20	12MXT	220bar-100l/min	12G..	34.05	<->	34.55	D35	198	
>2SC(SN)	1" - DN25	16MXT	170bar-160l/min	16G..	43.55	<->	44.05	D37	165	

Pressmasstabelle für MC2000 Table de sertissage pour MC2000				Pressarmatur Typ: Raccord à sertir type: G/GA/GC/GE/GF/GX/GS			Satz Nr. Jeu nr.	10 D21/D22/D33 D34/D35/D37 D39/310/D45	
Schlauch Tuyau	Dimension								
Megaflex HiTemp - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute temp. à 2-tresses en acier (- 40°C - +150°C)									
2SC-HT	1/4" - DN6	04G2XH	420bar-11l/min	04G..	18.55	<->	19.05	D21	209
	3/8" - DN10	06G2XH	350bar-27l/min	06G..	22.35	<->	22.85	D22	253
	1/2" - DN12	08G2XH	290bar-46l/min	08G..	26.40	<->	26.90	D33	239
	5/8" - DN16	10G2XH	250bar-70l/min	10G..	29.45	<->	29.95	D34	182
	3/4" - DN20	12G2XH	215bar-100l/min	12G..	35.2	<->	35.7	D35	261
Forrer-ECOLine Kompakt - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier									
2SC	1/4" - DN6	04F2	400bar-11l/min	04G..	18.90	<->	19.10	D21	220
				04GF..	16.10	<->	16.30	10	438
2SC	5/16" - DN8	05F2	350bar-18l/min	05G..	21.10	<->	21.30	D22	176
				05GF..	18.00	<->	18.20	D21	176
2SC	3/8" - DN10	06F2	330bar-27l/min	06G..	22.10	<->	22.30	D22	231
				06GF..	20.00	<->	20.20	D22	138
2SC	1/2" - DN12	08F2	275bar-46l/min	08G..	26.50	<->	26.70	D33	236
				08GF..	23.90	<->	24.10	D22	329
2SC	5/8" - DN16	10F2	250bar-70l/min	10G..	29.30	<->	29.50	D33	389
				10GF..	27.3	<->	27.50	D33	280
GATES Hochflexible Pilot- & Steuerdruckschläuche stahlarmiert / Tuyau pour pression de pilotage et de commande, tresse en acier									
pil	3/16" - DN5	P1T03	120bar-5L/min	03GC..	11.30	<->	11.50	10	176
				03GK..	11.40	<->	11.60	10	182
	1/4" - DN6	P1T04	120bar-11L/min	04GC..	14.00	<->	14.20	10	324
				04GK..	13.60	<->	13.80	10	302
	5/16" - DN8	P1T05	120bar-18L/min	05GC..	16.50	<->	16.70		
3/8" - DN10	P1T06	120bar-27L/min	06GC..	17.7	<->	17.9	D21	155	
Minimess-Hochdruckschlauch / Tuyau haute pression Minimess									
	1/8" - DN2	MS-HD630	630bar-2l/min	IN02	7.2	<->	7.4		
Kunststoff-Hochdruckschläuche N => Nylon / Tuyau haute pression en plastique avec 1-tresse Nylon									
R7-N	3/16" - DN5	TFR7N03 - 0661	212bar-5l/min	03GC..	10.80	<->	11.00	10	149
	1/4" - DN6	TFR7N04 - 0662	200bar-11l/min	04G..	17.25	<->	17.75	D21	130
04GC..				13.9	<->	14.1	10	318	
Kunststoff-Hochdruckschläuche T =>stahlarmiert einlagig / Tuyau haute pression en plastique avec 1-tresse en acier									
R7-T	3/16" - DN5	TFR7T03 - 0871	360bar-5l/min	03GD..	11.80	<->	12.00	10	204
	1/4" - DN6	TFR7T04 - 0872	310bar-11l/min	04G..	17.25	<->	17.75	D21	130
				04GC..	13.90	<->	14.10	10	318
	5/16" - DN8	TFR7T05 - 0873	250bar-18l/min	05G..	19.80	<->	20.30	D22	100
				05GD..	17.80	<->	18.00	D21	160
	3/8" - DN10	TFR7T06 - 0874	225bar-27l/min	06G..	20.75	<->	21.25	D22	180
				06GD..	18.70	<->	18.90	D21	209
	1/2" - DN12	TFR7T08 - 0875	190bar-46l/min	08G..	24.60	<->	24.80	D33	133
				08GC..	22.3	<->	22.5	D22	242
	Kunststoff-Hochdruckschläuche 10T =>stahlarmiert zweilagig / Tuyau haute pression 2-tresse en acier								
R10	1/4" - DN6	TFR10T04 - 0852	400bar-11l/min	04G..	18.35	<->	18.85	D21	198
				04GA..	16.30	<->	16.50	10	449
	5/16" - DN8	TFR10T05 - 0853	400bar 18l/min	05GE..	18.80	<->	19.00	10	585
	3/8" - DN10	TFR10T06 - 0854	330bar 27l/min	06G..	21.50	<->	22.00	D22	206
				06GE..	20.20	<->	20.40	D22	127
	1/2" - DN12	TFR10T08 - 0855	260bar - 46l/min	08G..	25.40	<->	25.60	D33	176
				08GE..	24.5	<->	24.7	D33	127
	Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression								
GP	1/4" - DN6	GP8004	37bar-6l/min	04G..	17.85	<->	18.35	D21	205
	5/16" - DN8	GP8005	37bar-11l/min	05G..	20.45	<->	20.95	D22	170
	3/8" - DN10	GP8006	37bar-18l/min	06G..	21.85	<->	22.35	D22	265
	1/2" - DN12	GP8008	37bar-29l/min	08G..	26.35	<->	26.85	D33	230
	5/8" - DN16	GP8010	30bar-48l/min	10G..	29.75	<->	30.25	D34	225
	3/4" - DN20	GP8012	30bar-68l/min	12G..	35.85	<->	36.35	D35	315
	1" - DN25	GP8016	30bar-125l/min	16G..	45.65	<->	46.15	D37	335
	1-1/4" - DN32	GP8020	30bar-190l/min	20G..	53.45	<->	53.95	D39	250

Pressmasstabelle für MC2000
Table de sertissage pour MC2000

 Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GC/GE/GF/GX/GS

 Satz Nr.
 Jeu nr.

 10 D21/D22/D33
 D34/D35/D37
 D39/310/D45

 Schlauch
 Tuyau

Dimension


Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression (- 40°C - +150°C)

ACR	1/4" - DN6	04Megatech1000	70bar-6l/min	04G..	17.55	<->	18.05	D21	175
	3/8" - DN10	06Megatech1000	70bar-18l/min	06G..	20.35	<->	20.85	D22	150
	1/2" - DN12	08Megatech1000	70bar-29l/min	08G..	25.65	<->	26.15	D33	190
	5/8" - DN16	10Megatech1000	70bar-48l/min	10G..	29.20	<->	29.70	D34	190
	3/4" - DN20	12Megatech1000	70bar-68l/min	12G..	34.80	<->	35.30	D35	245
	1" - DN25	16Megatech1000	70bar-125l/min	16G..	42.95	<->	43.45	D37	155
	1-1/4" - DN32	20Megatech1000	70bar-190l/min	20G..	51.05	<->	51.55	D39	80

ProLine - Hochdruckschläuche 1-lagig stahlarmiert / Tuyau haute pression 1-tresse en acier

1SC	1/4" - DN6	04PRO1T	225bar-11l/min	04EX..	17.05	<->	17.35	D21	122
	5/16" - DN8	05PRO1T	215bar-18l/min	05EX..	17.80	<->	18.10	D21	163
	3/8" - DN10	06PRO1T	180bar-27l/min	06EX..	19.65	<->	19.95	D22	100
	1/2" - DN12	08PRO1T	160bar-46l/min	08EX..	22.90	<->	23.20	D22	277
	5/8" - DN16	10PRO1T	130bar-60l/min	10EX..	26.15	<->	26.45	D33	220
	3/4" - DN20	12PRO1T	105bar-80l/min	12EX..	29.95	<->	30.25	D34	204
	1" - DN25	16PRO1T	88bar-140l/min	16EX..	37.65	<->	37.95	D35	389

ProLine - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier

2SC	1/4" - DN6	04PRO2T	400bar-11l/min	04EX..	17.55	<->	17.85	D21	149
	5/16" - DN8	05PRO2T	350bar-18l/min	05EX..	18.90	<->	19.20	D21	223
	3/8" - DN10	06PRO2T	330bar-27l/min	06EX..	20.45	<->	20.75	D22	144
	1/2" - DN12	08PRO2T	275bar-46l/min	08EX..	24.00	<->	24.30	D33	103
	5/8" - DN16	10PRO2T	250bar-70l/min	10EX..	27.65	<->	27.95	D33	302
	3/4" - DN20	12PRO2T	215bar-100l/min	12EX..	31.15	<->	31.45	D34	269
	1" - DN25	16PRO2T	165bar-160l/min	16EX..	38.95	<->	39.25	D35	460